

POB 1st Floor Public Corridor/Security Desk

	Typical Finish	Finish Code	Notes
Walls	ColorTex or Armourcoat, Paint	WC-1 or WC-2, P-1	1
Wall Protection	(addressed above)	WC-1 or WC-2	
Floors	Terrazzo, Porcelain Tile, Carpet	Terrazzo, T-2 thru T-4, C-4 thru C-8, C-10, C-11	1
Vestibule Floors	Walk Off Carpet Tile	C-12 thru C-14	1
Base	Terrazzo Integral, Porcelain Tile Coved, or Rubber Base	Terrazzo, T-2 thru T-4 or B-1 thru B-3	1
Doors	Plastic Laminate	PL-1 thru PL-7	1
Millwork: Horizontal	Natural Stone or Solid Surface	Natural Stone or SS-1 or SS-2	1
Vertical	Plastic Laminate	PL-1 thru PL-7	1
Ceiling	5/8" Gypboard, Lay-in	P-1, CLG-3 thru CLG-5	1
Lighting	2x4 Indirect Fluorescent, Compact Fluorescent Downlights, Compact Fluorescent Wall Washers	LTG-1, LTG-4, LTG-5, LTG- 6, LTG-13	1

Notes:

1. Appropriate finish material selected by Consultant to be approved by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.
2. Monolithic ceilings shall be no wider than 30" at any point without prior approval.

Note: The finish type requirements outlined above are a general synopsis of the Texas Administrative Code, Department of State Health Services, Title 25, Chapter 133. This information is not to be used as a substitute for a thorough code/regulation research by the Consultant. Consultant shall be responsible for verification of all applicable codes and regulations governing finish types for their projects. **Page 3.H.1**

POB Public Toilet

	Typical Finish	Finish Code	Notes
Walls	Full Height Porcelain Tile	T-2 thru T-4, WP-1	1, 2
Wall Protection	N/A		
Floors	Terrazzo or Porcelain Tile	Terrazzo or T-2 thru T-4	1, 2
Base	Terrazzo Integral Base or Porcelain Coved Base	Terrazzo or T-2 thru T-4	1
Doors	Plastic Laminate	PL-1 thru PL-7	1
Toilet Partition	Stainless Steel	Stainless Steel	3
Millwork: Horizontal	Solid Surface	SS-1 or SS-2	1, 4
Vertical	Plastic Laminate	PL-1 thru PL-7	1., 2.
Ceiling	5/8" Gypboard, Epoxy Paint	P-1	1
Lighting	2x4 Indirect Fluorescent, Compact Fluorescent Downlight, Wall Mounted Fluorescent (above sink)	LTG-1, LTG-4	1

Notes:

1. Appropriate finish material selected by Consultant to be approved by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.
2. Consultant may design wall or floor pattern with approval by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.
3. Stainless steel toilet partitions if multi-stall.
4. Integral solid surface sink.
5. Monolithic ceilings shall be no wider than 30" at any point without prior approval.

Note: The finish type requirements outlined above are a general synopsis of the Texas Administrative Code, Department of State Health Services, Title 25, Chapter 133. This information is not to be used as a substitute for a thorough code/regulation research by the Consultant. Consultant shall be responsible for verification of all applicable codes and regulations governing finish types for their projects. **Page 3.H.2**

POB Public and Garage Elevator Cab

	Typical Finish	Finish Code	Notes
Walls	Solid Surface Panels	SS-1 or SS-2	1
Wall Protection	Stainless Steel Handrail		1
Floors	Vinyl Tile	VT-6, VT-7	1
Base	Stainless Steel	Stainless Steel	1
Doors	Stainless Steel	Stainless Steel	1
Millwork: Horizontal	N/A		
Vertical	N/A		
Ceiling	Specialty Ceiling		1
Lighting	Specialty Lighting		1

Notes:

1. Appropriate finish material selected by Consultant to be approved by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.

Note: The finish type requirements outlined above are a general synopsis of the Texas Administrative Code, Department of State Health Services, Title 25, Chapter 133. This information is not to be used as a substitute for a thorough code/regulation research by the Consultant. Consultant shall be responsible for verification of all applicable codes and regulations governing finish types for their projects. **Page 3.H.3**

POB Tenant Floor Corridor

	Typical Finish	Finish Code	Notes
Walls	Vinyl Wallcovering		1, 2
Wall Protection	N/A		
Floors	Carpet Tile	C-5 thru C-8, C-10, C-11	1
Base	Rubber Base	B-1 thru B-3	1
Doors	Plastic Laminate	PL-1 thru PL-7	1
Millwork: Horizontal	N/A		
Vertical	N/A		
Ceiling	Lay-in	CLG-2	
Lighting	2x4 Parabolic Fluorescent, Compact Fluorescent Downlight, Compact Fluorescent Wall Washers	LTG-2, LTG-4, LTG-5, LTG-6	

Notes:

1. Appropriate finish material selected by Consultant to be approved by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.
2. VWC selected by Consultant to be approved by Tracy Smith Sare, Lead Project Manager, Architecture & Construction, 713.448.4002 or e-mail tracy.smithsare@memorialhermann.org.

Note: The finish type requirements outlined above are a general synopsis of the Texas Administrative Code, Department of State Health Services, Title 25, Chapter 133. This information is not to be used as a substitute for a thorough code/regulation research by the Consultant. Consultant shall be responsible for verification of all applicable codes and regulations governing finish types for their projects. **Page 3.H.4**